

MODEL 6101



MODEL 6101


DEEP ANTI-GLARE DOWNLIGHT HOUSING KIT

9W – 25W | 24° / 36° / 55° Beam | Die-Cast Aluminum

Anti-Glare Baffle | Dual Spring Clips | Die-Cast Aluminum Heatsink

MODEL 6101

ENGINEERED FOR PERFORMANCE





MODEL 6101

SPECIFICATIONS

Model 6101 Series — Parameter Guide (5 wattage options)

No.	Wattage	Face Dia (mm)	Cutout (mm)	Height (mm)	Beam Angle
1	9W	62	55	78	24°/36°/55°
2	12W	72	65	78	24°/36°/55°
3	15W	82	75	80	24°/36°/55°
4	20W	105	95	88	24°/36°/55°
5	25W	115	105	93	24°/36°/50°

Housing kit only — driver and light source not included.

DIMENSIONS



Face Diameter

62 – 115 mm

Ceiling Cutout

55 – 105 mm

Overall Height

78 – 93 mm

MODEL 6101

MODULAR HOUSING KIT

Kit Contents: Housing · Optical Lens · Spring Clips

- Die-Cast Aluminum Housing & Heatsink
- Anti-Glare Optical Lens (24° / 36° / 55°)
- Stainless Steel Spring Clips
- Trim Ring: Sand White / Matte Black



MODEL 6101

PARTS LINE-UP



1. Spring Clips

2. Screws

3. Heatsink Housing

4. Anti-Glare Baffle

5. Optical Lens

6. Trim Ring

MODEL 6101



ABOUT US & CONTACT

ECO LED Kit — Your Strategic Lighting Housing Partner

Since 2018, ECO LED Kit has specialized in housing kits for LED downlights and spotlights. OEM / ODM welcome.

-
-  WhatsApp / WeChat: +86 132 4938 9989
 -  E-mail: sales@ecoledkit.com
amylai1239@163.com
 -  Website: www.ecoledkit.com
 -  Contact: Ms. Amy Lai
 -  Zhongshan Hongxin Pinyue Lighting Co., Ltd.
 -  No. 16, Xiangxian 1st Street, Sansha, Henglan Town,
Zhongshan, Guangdong, China