

MODEL 6105



SURFACE MOUNTED ANTI-GLARE DOWNLIGHT HOUSING KIT

5W – 15W | 15° / 24° / 36° / 55° Beam | Die-Cast Aluminum

Anti-Glare Baffle | Surface Mount Design | Die-Cast Aluminum Heatsink

MODEL 6105

ENGINEERED FOR PERFORMANCE





MODEL 6105

SPECIFICATIONS

Model 6105 Series — Parameter Guide (6 wattage options, surface mounted)

No.	Wattage	Face Dia (mm)	Mounting	Height (mm)	Beam Angle
1	5W	45	Surface	52	15°/24°/36°/55°
2	7W	55	Surface	67	15°/24°/36°/55°
3	9W	65	Surface	67	24°/36°/55°
4	12W	75	Surface	75	24°/36°/55°
5	12W	85	Surface	86	24°/36°/55°
6	15W	95	Surface	87	36°/50°

Housing kit only — driver and light source not included.

MODEL 6105

DIMENSIONS



Face Diameter

45 – 95 mm

Mounting

Surface Mounted

Overall Height

52 – 87 mm

MODEL 6105

SURFACE MOUNT HOUSING KIT

Kit Contents: Housing · Optical Lens · Springs

- Die-Cast Aluminum Housing & Heatsink
- Anti-Glare Optical Lens (15° / 24° / 36° / 55°)
- Surface Mount Base
- Trim Ring: Sand White / Matte Black



MODEL 6105

PARTS LINE-UP

Kit Contents: Housing · Optical Lens · Springs



1. Screws

2. Mounting Base

3. Housing

4. Anti-Glare Baffle

5. Optical Lens

6. Heatsink Housing

MODEL 6105



ABOUT US & CONTACT

ECO LED Kit — Your Strategic Lighting Housing Partner

Since 2018, ECO LED Kit has specialized in housing kits for LED downlights and spotlights. OEM / ODM welcome.

WhatsApp / WeChat: +86 132 4938 9989

E-mail: sales@ecoledkit.com

amylai1239@163.com

Website: www.ecoledkit.com

Contact: Ms. Amy Lai

Zhongshan Hongxin Pinyue Lighting Co., Ltd.

No. 16, Xiangxian 1st Street, Sansha, Henglan Town,
Zhongshan, Guangdong, China