

MODEL 6206



MODEL 6206

DEEP ANTI-GLARE HOUSING KIT

30W – 40W | 15° / 24° / 36° / 50° Beam | Die-Cast Aluminum

Anti-Glare Baffle | Dual Spring Clips | Die-Cast Aluminum Heatsink

MODEL 6206

ENGINEERED FOR PERFORMANCE





MODEL 6206

SPECIFICATIONS

Model 6206 Series — Parameter Guide (5 size options)

No.	Wattage	Face Dia (mm)	Cutout (mm)	Height (mm)	Beam Angle
1	30-32W	108	95-100	100	15°/24°/36°/50°
2	30-32W	125	105-115	100	15°/24°/36°
3	35-40W	138	115-130	100	15°/24°/36°
4	35-40W	160	130-145	100	15°/24°/36°
5	30×2W	216	100-200	100	15°/24°/36°

Housing kit only — driver and light source not included.

MODEL 6206

DIMENSIONS



Face Diameter

108 – 216 mm

Ceiling Cutout

95 – 200 mm

Overall Height

100 mm

MODEL 6206

MODULAR HOUSING KIT

Kit Contents: Housing · Optical Lens · Spring Clips

- Die-Cast Aluminum Housing & Heatsink
- Anti-Glare Optical Lens (15° / 24° / 36° / 50°)
- Stainless Steel Spring Clips
- Trim Ring: Sand White / Matte Black



MODEL 6206

PARTS LINE-UP

Kit Contents: Housing · Optical Lens · Spring Clips



1. Heatsink Body

2. Optical Lens

3. Inner Bracket

4. Anti-Glare Ring

5. Mounting Ring

6. Spring Clips

MODEL 6206



ABOUT US & CONTACT

ECO LED Kit — Your Strategic Lighting Housing Partner

Since 2018, ECO LED Kit has specialized in housing kits for LED downlights and spotlights. OEM / ODM welcome.



WhatsApp / WeChat: +86 132 4938 9989



E-mail: sales@ecoledkit.com
amylai1239@163.com



Website: www.ecoledkit.com



Contact: Ms. Amy Lai



Zhongshan Hongxin Pinyue Lighting Co., Ltd.



No. 16, Xiangxian 1st Street, Sansha, Henglan Town,
Zhongshan, Guangdong, China