

MODEL 6211




DEEP ANTI-GLARE HOUSING KIT

7W – 65W | 15° / 24° / 38° / 55° Beam | Profile Aluminum

Anti-Glare Baffle | Dual Spring Clips | Profile Aluminum Heatsink

MODEL 6211

ENGINEERED FOR PERFORMANCE





MODEL 6211

SPECIFICATIONS

Model 6211 Series — Parameter Guide (8 size options)

No.	Wattage	Face Dia (mm)	Cutout (mm)	Height (mm)	Beam Angle
1	7-15W	88	75-80	90	15°/24°/38°/55°
2	18-22W	88	75-80	110	15°/24°/38°/55°
3	25-30W	88	75-80	130	15°/24°/38°/55°
4	30-35W	108	95-100	120	15°/24°/38°/55°
5	35-40W	108	95-100	138	15°/24°/38°/55°
6	35-42W	138	115-130	135	15°/24°/38°/55°
7	45-55W	138	115-130	150	15°/24°/38°/55°
8	55-65W	138	115-130	170	15°/24°/38°/55°

Housing kit only — driver and light source not included.

MODEL 6211

DIMENSIONS



Face Diameter

88 - 138 mm

Ceiling Cutout

75 - 130 mm

Overall Height

90 - 170 mm

MODEL 6211

MODULAR HOUSING KIT

Kit Contents: Housing · Optical Lens · Spring Clips

- Profile Aluminum Housing & Heatsink
- Anti-Glare Optical Lens (15° / 24° / 38° / 55°)
- Stainless Steel Spring Clips
- Trim Ring: White / Black



MODEL 6211

PARTS LINE-UP

Kit Contents: Housing · Optical Lens · Spring Clips



1. Heatsink

2. Reflector

3. Optical Lens

4. Washer

5. Inner Housing

6. Mounting Frame

MODEL 6211



ABOUT US & CONTACT

ECO LED Kit — Your Strategic Lighting Housing Partner

Since 2018, ECO LED Kit has specialized in housing kits for LED downlights and spotlights. OEM / ODM welcome.



WhatsApp / WeChat: +86 132 4938 9989



E-mail: sales@ecoledkit.com
amylai1239@163.com



Website: www.ecoledkit.com



Contact: Ms. Amy Lai



Zhongshan Hongxin Pinyue Lighting Co., Ltd.



No. 16, Xiangxian 1st Street, Sansha, Henglan Town,
Zhongshan, Guangdong, China