

MODEL 6216



ROUND DEEP ANTI-GLARE HOUSING KIT


30W – 35W | 15° / 24° / 36° / 55° Beam | Cold-Forged Aluminum

Anti-Glare Baffle | Dual Spring Clips | Cold-Forged Aluminum Heatsink

ECO LED KIT | www.ecoledkit.com | WhatsApp +86 132 4938 9989

MODEL 6216

ENGINEERED FOR PERFORMANCE



MODEL 6216



SPECIFICATIONS

Model 6216 Series — Parameter Guide (3 size options)

No.	Wattage	Face Dia (mm)	Cutout (mm)	Height (mm)	Beam Angle
1	30-35W	88	75-80	138	15°/24°/36°/55°
2	30-35W	110	95-100	125	15°/24°/36°/55°
3	30-35W	128	105-120	127	15°/24°/36°/55°

Housing kit only — driver and light source not included.

MODEL 6216

DIMENSIONS



Face Diameter

88 – 128 mm

Ceiling Cutout

75 – 120 mm

Overall Height


125 – 138 mm

MODEL 6216

MODULAR HOUSING KIT

Kit Contents: Housing · Optical Lens · Spring Clips

- Cold-Forged Aluminum Housing & Heatsink
- Anti-Glare Optical Lens (15° / 24° / 36° / 55°)
- Stainless Steel Spring Clips
- Trim Ring: White / Black




MODEL 6216

PARTS LINE-UP

Kit Contents: Housing · Optical Lens · Spring Clips



1. Heatsink 2. COB Holder 3. Optical Lens 4. Inner Ring 5. Face Ring 6. Spring Clips



ABOUT US & CONTACT

ECO LED Kit — Your Strategic Lighting Housing Partner

Since 2018, ECO LED Kit has specialized in housing kits for LED downlights and spotlights. OEM / ODM welcome.



WhatsApp / WeChat: +86 132 4938 9989



E-mail: sales@ecoledkit.com
amylai1239@163.com



Website: www.ecoledkit.com



Contact: Ms. Amy Lai



Zhongshan Hongxin Pinyue Lighting Co., Ltd.



No. 16, Xiangxian 1st Street, Sansha, Henglan Town,
Zhongshan, Guangdong, China
