

Certificate of Conformity

Global-Mark Pty. Ltd., certify the electrical equipment described hereunder complies with standards listed herein and notifies the certificate holder to affix the authorised Approval Mark on the product of the same type and the Regulatory Compliance Mark (RCM) mark provided that the requirements of all relevant parts of AS/NZS 4417 applicable to the article are fulfilled. In placing the Approval and RCM mark on the product, the Responsible Supplier makes a declaration of compliance with the certification standard(s) and confirms that the product is identical to the product certified herein. – This Certificate meets the requirements of a Recognised External Certification Scheme (EESS- RECS) and a Recognised External Approval Scheme (NSW-REAS).

CERTIFICATION AND CERTIFICATE HOLDER DETAILS

Company Name	Lifud Technology Co.,Ltd	Other Name	
Address	401-408, Block B, Building 1, Xingzhan Plaza, No.446, Nanhuan Rd., Shajing St Bao'an District, Shenzhen Guangdong 518104 China		
Client ID	105301	Global-Mark File Number:	105301-091
Certificate Number & Approval Mark	GMA-528955-EA	Revision Number	00
Certification Standard(s)	AS 61347.2.13:2018 & AS/NZS 61347.1:2016 Amd 1: 2018, Amd 2: 2025 Lamp Control Gear - Part 2-13: Particular Requirements For D.C Or A.C Supplied Electronic Control Gear For Led Modules.		
Type of Certification	Electrical Safety Product	Scheme	Global-Mark Electrical Product Safety Certification Scheme


CERTIFICATE DATES

Certificate Issue Date	29/06/2026
Certificate Last Update Date	
Certification Expiry Date	29/06/2031

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager



Certificate of Conformity

CERTIFIED ELECTRICAL EQUIPMENT				
Declared Article	Product Description	Trade Name	Model Number	Rating
Power Supply or Charger	Electronic controlgear for LED modules (LED Driver)	LiFud	LF-BCD013A-0350-42	Input: 220-240VAC, 50/60Hz, max.0.1A; Output: 15-37VDC, 350mA, 12.9W; 15-42VDC, 300/250/200/150/100mA, 12.6/10.5/8.4/6.3/4.2W; Uout: 59VDC; ta: 45°C, tc: 90°C, Independent, Class II; SELV, Constant current type
Power Supply or Charger	Electronic controlgear for LED modules (LED Driver)	LiFud	LF-BCD013B-0350-42	Input: 220-240VAC, 50/60Hz, max.0.1A; Output: 9-37VDC, 350mA, 12.9W; 9-42VDC, 300/250/200/150/100mA, 12.6/10.5/8.4/6.3/4.2W; Uout: 59VDC; ta: 45°C, tc: 80°C, Independent, Class II; SELV, Constant current type
Power Supply or Charger	Electronic controlgear for LED modules (LED Driver)	LiFud	LF-BCD025A-0700-42	Input: 220-240VAC, 50/60Hz, max.0.2A; Output: 15-36VDC, 700mA, 25.2W; 15-38VDC, 650mA, 24.7W; 15-42VDC, 600/550/500/450/400/350mA, 25.2/23.1/21/18.9/16.8/14.7W; Uout: 59VDC; ta: 45°C, tc: 85°C, Independent, Class II; SELV, Constant current type
Power Supply or Charger	Electronic controlgear for LED modules (LED Driver)	LiFud	LF-BCD025B-0700-42	Input: 220-240VAC, 50/60Hz, max.0.2A; Output: 9-36VDC, 700mA, 25.2W; 9-38VDC, 650mA, 24.7W; 9-42VDC, 600/550/500/450/400/350mA, 25.2/23.1/21/18.9/16.8/14.7W; Uout: 59VDC; ta: 45°C, tc: 85°C, Independent, Class II; SELV, Constant current type
Power Supply or Charger	Electronic controlgear for LED modules (LED Driver)	LiFud	LF-BCD030B-0750-42	Input: 220-240VAC, 50/60Hz, max.0.2A; Output: 9-40VDC, 750mA, 30W; 9-42VDC, 700/650/600/550/500/450/400mA, 29.4/27.3/25.2/23.1/21/18.9/16.8W; Uout: 59VDC; ta: 45°C, tc: 80°C, Independent, Class II; SELV, Constant current type

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.




Certification Manager

Page 2 of 5



JAS-ANZ




Certificate of Conformity

Power Supply or Charger	Electronic controlgear for LED modules (LED Driver)	LiFud	LF-BCD040B-1050-42	Input: 220-240VAC, 50/60Hz, max.0.25A; Output: 9-38VDC, 1050mA, 39.9W; 9-40VDC, 1000mA, 40W; 9-42VDC, 950/900/850/800/750/700mA, 39.9/37.8/35.7/33.6/31.5/29.4W; Uout: 59VDC; ta: 45°C, tc: 85°C, Independent, Class II; SELV, Constant current type
Power Supply or Charger	Electronic controlgear for LED modules (LED Driver)	LiFud	LF-BCD040C-1050-54	Input: 220-240VAC, 50/60Hz, max.0.25A; Output: 2.5-38VDC, 1050mA, 39.9W; 2.5-40VDC, 1000mA, 40W; 2.5-42VDC, 950mA, 39.9W; 2.5-44VDC, 900mA, 39.6W; 2.5-47VDC, 850mA, 39.95W; 2.5-50VDC, 800mA, 40W; 2.5-53VDC, 750mA, 39.75W; 2.5-54VDC, 700/650/600/550/500/450/400/350/300mA, 37.8/35.1/32.4/29.7/27/24.3/21.6/18.9/16.2W; Uout: 59VDC; ta: 45°C, tc: 85°C, Independent, Class II; SELV, Constant current type
Power Supply or Charger	Electronic controlgear for LED modules (LED Driver)	LiFud	LF-BCD060B-1500-42	Input: 220-240VAC, 50/60Hz, max.0.37A; Output: 9-40VDC, 1500mA, 60W; 9-41VDC, 1450mA, 59.45W; 9-42VDC, 1400/1350/1300/1250/1200/1150/1100/1050/1000/950/900/850/800/750mA, 58.8/56.7/54.6/52.5/50.4/48.3/46.2/44.1/42/39.9/37.8/35.7/33.6/31.5W; Uout: 59VDC; ta: 45°C, tc: 90°C, Independent, Class II; SELV, Constant current type
Power Supply or Charger	Electronic controlgear for LED modules (LED Driver)	LiFud	LF-BCD040A-1050-42	Input: 220-240VAC, 50/60Hz, max.0.25A; Output: 15-38VDC, 1050mA, 39.9W; 15-40VDC, 1000mA, 40W; 15-42VDC, 950/900/850/800/750/700mA, 39.9/37.8/35.7/33.6/31.5/29.4W; Uout: 59VDC; ta: 45°C, tc: 90°C, Independent, Class II; SELV, Constant current type

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager



Certificate of Conformity

Power Supply or Charger	Electronic controlgear for LED modules (LED Driver)	LiFud	LF-BCD030B-0750-42 Pro	Input: 220-240VAC, 50/60Hz, max.0.2A; Output: 25-40VDC, 750mA, 30W; 25-42VDC, 700/650/600/550/500/450/400mA, 29.4/27.3/25.2/23.1/21/18.9/16.8W; Uout: 59VDC; ta: 45°C, tc: 80°C, Independent, Class II; SELV, Constant current type
Power Supply or Charger	Electronic controlgear for LED modules (LED Driver)	LiFud	LF-BCD044B-1050-42 Pro	Input: 220-240VAC, 50/60Hz, max.0.3A; Output: 25-42VDC, 1050/1000/950/900/850/800/750/700mA, 44.1/42/39.9/37.8/35.7/33.6/31.5/29.4W; Uout: 59VDC; ta: 45°C, tc: 85°C, Independent, Class II; SELV, Constant current type
Power Supply or Charger	Electronic controlgear for LED modules (LED Driver)	LiFud	LF-BCD044D-1050-54	Input: 220-240VAC, 50/60Hz, max.0.28A; Output: 9-42VDC, 1050mA, 44.1W; 9-44VDC, 1000mA, 44W; 9-46VDC, 950mA, 43.7W; 9-49VDC, 900mA, 44.1W; 9-51VDC, 850mA, 43.35W; 9-54VDC, 800/750/700/650/600/550/500/450/350/300mA, 43.2/40.5/37.8/35.1/32.4/29.7/27/24.3/21.6/18.9/16.2W; Uout: 59VDC; ta: 45°C, tc: 85°C, Independent, Class II; SELV, Constant current type
Power Supply or Charger	Electronic controlgear for LED modules (LED Driver)	LiFud	LF-BCD044D-1050-54 NFC	Input: 220-240VAC, 50/60Hz, max. 0.28A; Output: 9-54VDC, 150-1050mA, 44.1W; Uout: 59VDC; ta: 45°C, tc: 85°C, Independent, Class II; SELV, Constant current type
Power Supply or Charger	Electronic controlgear for LED modules (LED Driver)	LiFud	LF-BUD020-0500-42	Input: 120-277VAC, 50/60Hz, max.0.25A; Output: 9-42VDC, 500/450/400/350/300/250/200/150mA, 21/18.9/16.8/14.7/12.6/10.5/8.4/6.3W; Uout: 59VDC; ta: 45°C, tc: 80°C, Independent, Class II; SELV, Constant current type

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.




Certification Manager

Page 4 of 5



JAS-ANZ



Certificate of Conformity

Power Supply or Charger	Electronic controlgear for LED modules (LED Driver)	LiFud	LF-BUD030-0750-42	Input: 120-277VAC, 50/60Hz, max.0.4A; Output: 9-42VDC, 750/700/650/600/550/500/450/400mA, 31.5/29.4/27.3/25.2/23.1/21/18.9/16.8W; Uout: 59VDC; ta: 45°C, tc: 80°C, Independent, Class II; SELV, Constant current type
Power Supply or Charger	Electronic controlgear for LED modules (LED Driver)	LiFud	LF-BUD040-1050-42	Input: 120-277VAC, 50/60Hz, max.0.5A; Output: 9-38VDC, 1050mA, 39.9W; 9-40VDC, 1000mA, 40W; 9-42VDC, 950/900/850/800/750/700mA, 39.9/37.8/35.7/33.6/31.5/29.4W; Uout: 59VDC; ta: 45°C, tc: 80°C, Independent, Class II; SELV, Constant current type

RELEVANT TRADEMARK (S)

LiFud®

COMMENTS OR CONDITIONS ON THE CERTIFICATION

2026/06/29 Initial Certification
- power supply for lighting purposes for use with class III LED lighting
- classified as DO NOT COVER

End of document

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager

Henri Hobas

